

0705-T

7" TFT LCD, 1000 nits LED backlight, 1280x800



Sunlight Readable



Wide Temp.



Wide Viewing Angle



MTBF
100,000 Hrs

Key Features

- 7" sunlight readable, high brightness (1,000 nits)
- Resolutions: 1280 x 800
- Industry leading LED backlight
- Aspect ratio of 16:10
- Wide temperature (-20°C~70°C)
- Low power consumption
- BL MTBF: 100,000 hours

Specifications

	DLF0705-T	DLH0705-T	DLD0705-T
Description	7" TFT LCD, 1000 nits LED backlight, 1280x800		
Screen size	7"		
Display area (mm)	149.76(H) x 93.6(V)		
Brightness	1000 cd/m ²		
Resolution	1280x800		
Aspect ratio	16:10		
Contrast ratio	800:1		
Pixel pitch (mm)	0.117 (H) x 0.117 (V)		
Pixel per inch (PPI)	215		
Viewing angle	176° (H), 176° (V)		
Color saturation (NTSC)	50%		
Display colors	16.7M		
Response time (Typical)	35ms		
Video interface	LVDS	VGA, DVI-D, HDMI	
Input power		DC 12V	
Power consumption	TBD	TBD	
Dimensions (mm)	161x107x4.5	161x107x4.5	TBD
Bezel size (U/B/L/R)	TBD	TBD	TBD
Weight (Net)	85g	85g	TBD
Mounting			TBD
OSD key		4 keys (Power switch, menu, +, -)	
OSD control		Brightness, color, contrast, H/V position... etc	
Operating temperature	-20°C ~ +70°C		
Storage temperature	-20°C ~ +80°C		
Product approval			TBD

Ordering Information

DLF0705-TNN-A01	7",1000nits,1280*800,LID7B,10 in 1,V1
DLH0705-TNN-G01	7",1000nits,1280*800,LID7B,AD2662GDHM,DC12V,10 in 1,V1
DLD0705-TNB-G01	7",1000nits,1280*800,LID7B,AD2662GDHM,O/B,DC12V,5 in 1,V1